

1 ModPerl::BuildMM -- A "subclass" of ModPerl::MM used for building mod_perl 2.0

1.1 SYNOPSIS

```
use ModPerl::BuildMM;

# ModPerl::BuildMM takes care of doing all the dirty job of overriding
ModPerl::BuildMM::WriteMakefile(...);

# if there is a need to extend the methods
sub MY::postamble {
    my $self = shift;

    my $string = $self->ModPerl::BuildMM::MY::postamble;

    $string .= "\nmydist : manifest tardist\n";

    return $string;
}
```

1.2 DESCRIPTION

ModPerl::BuildMM is a "subclass" of ModPerl::MM used for building mod_perl 2.0. Refer to ModPerl::MM manpage.

1.3 OVERRIDEN METHODS

ModPerl::BuildMM overrides the following methods:

1.3.1 ModPerl::BuildMM::MY::constants

1.3.2 ModPerl::BuildMM::MY::top_targets

1.3.3 ModPerl::BuildMM::MY::postamble

1.3.4 ModPerl::BuildMM::MY::post_initialize

1.3.5 ModPerl::BuildMM::MY::libscan

Table of Contents:

| | | |
|-------|--|---|
| 1 | ModPerl::BuildMM -- A "subclass" of ModPerl::MM used for building mod_perl 2.0 | 1 |
| 1.1 | SYNOPSIS | 2 |
| 1.2 | DESCRIPTION | 2 |
| 1.3 | OVERRIDEN METHODS | 2 |
| 1.3.1 | ModPerl::BuildMM::MY::constants | 2 |
| 1.3.2 | ModPerl::BuildMM::MY::top_targets | 2 |
| 1.3.3 | ModPerl::BuildMM::MY::postamble | 2 |
| 1.3.4 | ModPerl::BuildMM::MY::post_initialize | 2 |
| 1.3.5 | ModPerl::BuildMM::MY::libscan | 2 |